

# TX-3535WS5FC120-OGFENW-01H90

## PRODUCT SPECIFICATION

Features:

Chip Material:

Emitting Color:

Applications:

--	--	--	--	--	--

# Package Dimensions:



广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

--	--	--	--	--	--

# Absolute Maximum Ratings (Tc=25 )

Parameter	Symbol	Ratings	Unit		
<p>Notes:</p>					

## Electrical Optical Characteristics (Tc=25°C 350mA)

Parameter	Symbol	Emitting Color	Min.	Typ.	Max.	Units





Notes:

TYANSHINE 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

--	--	--	--	--	--




# Typical Electrical/Optical Characteristics Curves



Notes:

— (black line)      — (magenta line)

**TYANSHINE** 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd



广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd



TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd





# Dimensions For Cannulation And Packaging

Quantity:1000 PCS



Notes:

--	--	--	--	--	--